



LPS 2005

SOLVENT-BASED LAUNDRY ADDITIVE

LAUNDRY PRODUCTS

DESCRIPTION: BRILLIANT'S LPS 2005 is an effective, fast acting, solvent-based laundry additive designed for the removal of tough grease, make up, lip stick, and other oil-based stains. Excellent for use in commercial operations' automatic dispensing systems and large capacity washers. This product can be used to launder fine washables and as a pre – treatment.

DIRECTIONS:

- Use 1 - 2 ounces of product for every 10 lbs. of lightly soiled clothing.
- Use 3 - 4 ounces of product for every 10 lbs. of highly soiled clothing.
- May be poured directly onto heavily soiled areas if necessary..
- Usage rate may vary due to the characteristics of the local water conditions and type of washing equipment, load size and degree of soiled material. For best results, please consult local technician for proper usage rate.

PACKAGING:

<u>SIZE</u>	<u>CATALOG #</u>
4/1 gallon	64200704B
5 gallon pail	64200705B
15 gallon drum	64200715B
55 gallon barrel	64200755B

PRODUCT SPECIFICATIONS

Appearance:	Clear liquid
Color:	Clear
Odor:	Mild
Specific Gravity	.795 - .895
pH	N/A
Viscosity	<10

ISO 9001:2000 Certified
Certificate No. 2049



EAGLE Registrations Inc.
SERVICE • INTEGRITY • VALUE

BRILLIANT PRODUCTS
P. O. Box 1425 Avon Park, FL 33826
Phone: 813-890-6594 Fax: 813-890-2101



CONTROLLED

Issue Date: 05/15/08
Form PB642007B, Rev (F)

MATERIAL SAFETY DATA SHEET

Prepared By: R. Gomez

(Prepared According to 29 CFR 1910.1200)

Effective Date: 08/10/05

SECTION 1- PRODUCT IDENTIFICATION AND SUPPLIER INFORMATION

Product Name: LPS 2005
Generic Name: Solvent Based Laundry Additive
Product Group: Laundry Products

Manufacturer's Name: BRILLIANT PRODUCTS
 P.O. BOX 1425
 AVON PARK, FL 33826
Phone #: (813)-890-6594

SECTION 2- INGREDIENT INFORMATION

CHEMICAL NAME	CAS #	WT %	PEL	TWA-TLV	STEL-TLV
Proprietary Blend	N.A.	N.A.	N.A.	N.A.	N.A.

No Components, in excess of 0.1% by weight are listed as carcinogens by IARC, NTP or OSHA

SECTION 3- PHYSICAL DATA

Boiling Point: 354° F
Vapor Pressure: 0.78 mm @ 20°C
% Volatile: 85%
Solubility in Water: complete
Physical Description: Clear liquid, mild odor.

Specific Gravity: .795 - .895
Vapor Density (Air=1): <1
pH: N/A
Evaporation Rate (Water=1): >1

SECTION 3- PHYSICAL DATA

Flash Point: 120° F.
Extinguishing Media: CO₂, water fog, dry chemical, chemical foam
Special Firefighting Procedures: Keep drums cool
Unusual Fire and Explosion Hazards: floor will be slippery
Upper Explosion Limits: N.A.
Lower Explosion Limits: N.A.

SECTION 5- REACTIVITY DATA

Stability: Stable
Hazardous Polymerization: Will not occur
Hazard Decomposition Products: None.
Incompatibility (Materials to Avoid): Strong oxidizing agents.

SECTION 6- STORAGE AND HANDLING INFORMATION

Keep container closed when not in use. Protect container from abuse. Protect from extreme temperatures.

SECTION 7- HEALTH HAZARDS AND FIRST AID

Effects of Overexposure
Skin: None expected, however, prolonged contact may cause irritation.
Eyes: Contact may cause irritation.
Inhalation: None expected, however, certain individuals may be sensitized and experience minor nausea or headaches.
Ingestion: May cause gastric distress, diarrhea and vomiting.

First Aid Procedures
Skin: Wash contaminated area with soap and water; if irritation persists, seek medical attention.
Eyes: Immediately flush for 15 minutes with water; if irritation persists get medical attention.
Inhalation: Remove to fresh air; wash mouth and nasal passages with water; if breathing difficulties persists, seek medical attention.
Ingestion: If swallowed, DO NOT induce vomiting. Keep at rest. Get prompt medical attention.

SECTION 8- SPECIAL PROTECTION INFORMATION

Respiratory Protection: None required.
Ventilation Requirements: Mechanical.
Protective Gloves: Neoprene or rubber.
Eye Protection: Goggles with side shields.
Other Protective Equipment: Safety eye bath nearby.

SECTION 9-Spill OR LEAK PROCEDURES

Cleanup Procedure for Spills: Small spills – Eliminate sources of ignition. Contain spilled liquid with sand or earth.
 Large spills – confine spill with approved absorbent; shovel product into approved container.
Waste Disposal: Dispose in accordance with local, state and federal regulations.

SECTION 10-REGULATORY INFORMATION

SARA Title III – Section 311/312 – Hazard: (Y/N): N
Fire: N
Sudden Release of Pressure: N
Reactivity: Strong acids.
Acute (IMMEDIATE) Health Hazard: Possible irritation and discomfort
Chronic (DELAYED) Health Hazard: Refer to IARC information on ethanol for possible long term affects.
Other: May aggravate pre-existing skin, eye or respiratory conditions with long term exposure.

Shipping Information:
NAME: Petroleum Distillate
HAZARD CLASS: N/A
REFERENCE: 49 CFR 172.101
ID#: UN1268
LABEL: Flammable
Note: In containers of 119 gallons or less this product is not regulated by DOT.

HMIS Hazardous Material Identification System

Health	1
Flammability	2
Reactivity	0
Personal Protection	B

For **emergency** and **medical** help line, call **INFOTRAC** at **1-800-535-5053**, 24 hours a day, 7 days a week for information on all our products and/or MSDS. Obtain an MSDS at www.pride-enterprises.org/MSDS/menu.htm or call customer service at **(813)-890-6594**

SECTION 11- OTHER INFORMATION

This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts No responsibility for results obtained by the application of this information, or the safety and suitability of our products either alone or in combination with other products. It is the responsibility of the user to provide a safe work-place, using the health and safety information contained herein as a guide. This company will accept NO liability for damages or loss incurred from the improper handling and use of this product.