



Bowl Punch

ACID TOILET BOWL CLEANER

SPECIALTY PRODUCTS

DESCRIPTION: PRIDE'S BOWL PUNCH is specially formulated to remove dirt and grime from porcelain surfaces. Safe for septic tanks. Do not use on metal, painted or enameled surfaces; this product is specifically designed for porcelain.

DIRECTIONS:

- Use 2 tablespoons per toilet bowl. Sprinkle into bowl above the water line.
- Allow to stand for a few minutes then scrub using **PRIDE'S TOILET BRUSH**, making sure all surfaces are wet.
- Let stand while cleaning the rest of the bathroom.
- Rinse then flush.

PACKAGING:

SIZE
24/1 pint jars

CATALOG #
64800124

PRODUCT SPECIFICATIONS

Appearance:	Granular Crystals
Color:	White
Odor:	None
pH:	1.0 – 2.0, 1% solution

PRIDE ENTERPRISES

P. O. Box 1425 Avon Park, FL 33826
Phone: 863-452-3872 Fax: 863-452-3878 www.pride-enterprises.org

CONTROLLED

Issue Date: 08/10/05
Form PB648001, Rev (D)

MATERIAL SAFETY DATA SHEET
(Prepared According to 29 CFR 1910.1200)

Prepared By: D. Wilson

Effective Date: 08/10/05

SECTION 1- PRODUCT IDENTIFICATION AND SUPPLIER INFORMATION

Product Name: BOWL PUNCH
Generic Name: Powdered detergent
Product Group: Specialty Products

Manufacturer's Name: SANITARY MAINTENANCE & SUPPLY
P.O. BOX 1425
AVON PARK, FL 33826
Phone #: (863)-452-3872

SECTION 2- INGREDIENT INFORMATION

CHEMICAL NAME	CAS#	WT %	PEL	TWA-TLV	STEL-TLV
Sodium Bisulfate	7681-38-1	N.A.	N.A.	N.A.	N.A.

SECTION 3- PHYSICAL DATA

Boiling Point: N.A. **Specific Gravity:** N.A.
Vapor Pressure: N.A. **Vapor Density (Air=1):** N.A.
% Volatile: N.A. **pH:** 1.0 – 2.0 , 1% solution
 Evaporation Rate (Water=1): N.A.
Solubility in Water: 67 gm/ 100 gm water
Physical Description: white powder, no odor

SECTION 4- FIRE AND EXPLOSION HAZARD DATA

Flash Point: none
Extinguishing Media: N.A.
Special Firefighting Procedures: floor will be slippery
Unusual Fire and Explosion Hazards: none
Upper Explosion Limits: N.A. **Lower Explosion Limits:** N.A.

SECTION 5- REACTIVITY DATA

Stability: stable **Incompatibility (Materials to Avoid):** strong alkalis, calcium hypochlorite, sodium carbonate.
Hazard Decomposition Products: thermal decomposition may yield CO, CO₂, oxides of sulfur @ 570°F. **Hazardous Polymerization:** Will not occur

SECTION 6- STORAGE AND HANDLING INFORMATION

Keep container closed when not in use. Protect container from abuse. Protect from extreme temperatures and moisture.

SECTION 7- HEALTH HAZARDS AND FIRST AID

Effects of Overexposure
Skin: Corrosive and severe irritant; chemical burns may result from contact.
Eyes: Corrosive, contact is painful, irritating and will cause chemical burns.
Inhalation: Corrosive and irritating to upper respiratory tract and mucous membranes.
Ingestion: Corrosive and irritating to digestive tract. May cause gastric distress, stomach pains and vomiting.
First Aid Procedures
Skin: Remove contaminated clothing, wash contacted area with water. Do not neutralize with chemical agents. If irritation persists, seek medical attention.
Eyes: Flush eyes with water for 15 minutes; get medical attention immediately.
Inhalation: Remove to fresh air. Wash mouth and nasal passages with water. If symptoms persist, seek medical attention.
Ingestion: Drink 2 glasses of water followed by milk, milk of magnesia. Do not induce vomiting. Give diluted vinegar or lemon juice, seek medical attention immediately.

SECTION 8- SPECIAL PROTECTION INFORMATION

Respiratory Protection: dust mask or respirator
Ventilation Requirements: mechanical
Protective Gloves: neoprene or rubber
Eye Protection: goggles with side shield
Other Protective Equipment: none

SECTION 9- SPILL OR LEAK PROCEDURES

Cleanup Procedure for Spills: Small spills - wash to sanitary sewer with plenty of water. Large spills – dispose of in approved container. Avoid making particle dust.
Waste Disposal: Dispose in accordance with local, state and federal regulations.

SECTION 10- REGULATORY INFORMATION

SARA Title III – Section 311/312 – Hazard: (Y/N): N
Fire: N
Sudden Release of Pressure: N
Reactivity: N
Acute (IMMEDIATE) Health Hazard: Corrosive to skin and eyes, prolonged inhalation.
Chronic (DELAYED) Health Hazard: none known
Other: May aggravate pre-existing skin, eye or respiratory conditions with long term exposure.

Shipping Information
Shipping Name: Corrosive, solid acid, inorganic, NOS (sodium bisulfate)
Hazard Class: 8
Reference: 49 CFR 172.101
Identification: UN 3260
Label: Corrosive

HMIS Hazardous Material Identification System

Health	1
Flammability	0
Reactivity	1
Personal Protection	1

For emergency and medical help line, call INFOTRAC at 1-800-535-5053, 24 hours a day, 7 days a week for information on all our products and/or MSDS. Obtain an MSDS at www.pride-enterprises.org/MSDS/menu.htm or call customer service at (863)-

SECTION 11- OTHER INFORMATION

This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts No responsibility for results obtained by the application of this information, or the safety and suitability of our products either alone or in combination with other products. It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. This company will accept NO liability for damages or loss incurred from the improper handling and use of this product.